i3A Series

RELIABILITY DATA

信頼性データ

* 試験結果は、代表データでありますが、全ての製品はほぼ同等な特性を示します。 従いまして、以下の結果は参考値とお考え願います。

Test results are typical data. Nevertheless the following results are considered to be reference data because all units have nearly the same characteristics.

Qualification Report Summary for: i3A008A033V-001-R			
sample universe: Units manufactured at TDK-Lambda Malaysia in week 14 - 2017,Lot			
umber:753ML0	Samples	Failures	Notes
/isual Inspection			
spect for quality and workmanship	140		
limension check			
spect physical dimensions against mechanical requirements	140		
itial characterization			
easurements of all applicable tests of manufacturing test requirements.	140		
ALT Low Temperature Limits Test - IPC9592A D.1.1.1			
ecrease temperature until UUT is out of regulation	3		
ALT High Temperature Limits Test - IPC9592A D.1.1.2 crease temperature until UUT is out of regulation	2		
ALT Input Voltage Test - IPC9592A D.1.1.5	3		
crease input voltage until UUT is out of regulation. This test is performed at both low			
mperature -50°C (found in D.1.1.1)and high temperature 90°C (found in D.1.1.2)	3		
ALT Output Load Test - IPC9592A D.1.1.6			
crease output load until UUT is out of regulation at high temperature 90 °C (found in			
1.1.2)	3		
ALT Combined Stress Test (CST) - IPC9592A D.1.1.7			
nree samples were subjected to 6 cycles of thermal cycling combined with vibration			
,10, 15, 25, 35, & 45 Grms), while power cycling at loaded output conditions. The			
ermal cycles were from +95°C to -40°C (air temperature) with an 18-minute dwell at	2		Noto 1
ach extreme (ramp rate: 30°C – 45°C per minute).	3		Note1
emperature Humidity Bias (THB) - IPC9592A 5.2.4.1 amples are exposed to 85% relative humidity at a temperature of 85°C. Input voltage			
at high line (53V) and minumum output load. Output voltage is measured every			
ninute.			
1000 hours	30		
ife Test - High Temperature Operating Bias (HTOB) - IPC9592A 5.2.5			
amples are preconditioned for 168 hours at 85°C/85%RH and two reflows. UUTs are			
paded at 95% of full load. Ambient temperature is set to stabilize the "hot spot" Tref			
oint at approximately 95°C±5°C 1000 hours	30		
	30		
emperature Cycling Test (TCT) - IPC9592A 5.2.6 ³ amples exposed in an air-to-air thermal shock chamber between temperatures of -40			
o 125°C at a ramp rate of approximately 60°C per minute. Dwell time at each extreme			
15 minutes.			
fter approximately every 100 cycles, all parts are visually check and tested with the			
ill complement of tests including, but not limited to efficiency, Ripple, Line regulation,			
nd Load regulation.			
700 thermal cycles	30		
ower and Temperature Cycle (PTC) - IPC9592A 5.2.7			
amples exposed to a combined power thermal cycling at 8 amps output load. The			
eference temperature range is approximately 99°C to 99°C. The dwell time at each			
emperature is approximately 18 minutes. The thermal			
Imp rate is approximately 15°C to 25°C per minute. Each line cycle is low line (9V), pominal line (24V), high line (53V) 60 seconds each and line off 60 seconds.			
100 thermal cycles	3		
lotes		C	AR
) Two of the three test units completed CST with no failures. During the 6th Cycle (+95	°C to -40°C		
t 45Grms), Sample 1 failed. Sample 1 did not recover at lab ambient conditions. Sample			
assed with no anomalies or issues. Post test visual inspection revealed no visible dama			
account in anomalico di locaco. I cot toot vicadi inopositori revodica ne vicibie danni			