ZWQ130/L

A191-01-01/I-E

TDK-Lambda

SPECIFICATIONS (CONVECTION COOLING)

	А191-01-01/L-Е									
	MODEL			ZWQ13)-5223/L			ZWQ130)-5225/L	
	ITEMS		V1	V2	V3	V4	V1	V2	V3	V4
1	Nominal Output Voltage	V	+5	+12	-12	+3.3	+5	+12	-12	+5
2	Minimum Output Current (Convection) (*1)	Α	1.5	0	0	0	1.5	0	0	0
3	Minimum Output Current (Peak Application)(*1)	Α	2.1	0	0	0	2.1	0	0	0
4	Maximum Output Current	Α	15.0	4.0	4.0	10.0	15.0	4.0	4.0	10.0
5	Total Allowable Output Power(*2)	W				13	30			
6	Maximum Peak Output Current (*3)	Α	19.0	5.0	5.0	12.0	19.0	5.0	5.0	12.0
7	Total Allowable Peak Output Power(*2)	W		14	9.6			17	70	
8	Efficiency (Typ) (*4)	%					2			
9	Input Voltage Range (*5)	-			85 - 265	VAC (47 - 63		370VDC		
10	Input Current (100/200VAC) (Typ) (*4)	Α				2.0	/1.0			
11	Inrush Current (Typ) (*6)	-		1				5°C, Cold Star	t	
12	PFHC	-			De	esigned to mee		3-2		
13	Power Factor (100/200VAC) (Typ) (*4)	-					/ 0.93			
14	Output Voltage Range	V	5.0-5.25	+12/+15	-12/-15	2.0-3.63	5.0-5.25	+12/+15	-12/-15	2.0-5.25
15	Output Voltage Accuracy	-	-	±5%	±5%	-	-	±5%	±5%	-
16	Maximum Ripple & Noise (*7) $\frac{0^{\circ}C \leq Ta \leq +60^{\circ}C}{10^{\circ}C}$		120	150	150	120	120	150	150	120
	-10°C <u><</u> Ta< 0°C	mV	160	180	180	160	160	180	180	160
17	Maximum Line Regulation (*7,8)	_	20	48	48	20	20	48	48	20
18	Maximum Load Regulation (*7,9)	mV	100	300	300	100	100	300	300	100
19	Temperature Coefficient	-				Less than				_
20	Over Current Protection (*10)			than 152W of	1			than 173W of	1	
21	Over Voltage Protection (*11)		5.7 - 7.0	16.5 - 22.5	-22.516.5	3.79 - 4.95		16.5 - 22.5	-22.516.5	5.7 - 7.0
22	Hold-Up Time (Typ) (*12)			0.55			ms			
23	Leakage Current (*13)	-		0.75m	A MAX,0.2m			nA(Typ) at 23	OVAC	
24	Remote ON/OFF Control (*14)					Pos	sible			
25	Parallel Operation	-					-			
26	Series Operation	-			10 500	~ (10	-			
27	Operating Temperature (*15)	-				$C(-10 - +40^{\circ})$				
28	Operating Humidity	-				30 - 90%RH (1)		
29	Storage Temperature	-				-30 - 1 10 - 95%RH	+85°C)		
30 31	Storage Humidity Cooling	-					`)		
	Withstand Voltage	-		Convection Cooling						
32	whistand voltage		Input - FG : 2kVAC(20mA), Input - Output : 3kVAC (20mA)							
33	Isolation Resistance	_	Output - FG : 500VAC(100mA), for 1min.							
55	Vibration	-	More than 100MΩ at 25°C and 70%RH Output - FG : 500VDC							
34	Violation	-		At no operating, 10-55Hz (Sweep for 1min) 10.6 m/s^2 Constant X, X, Z, Ib asph						
35	Shock (In package)	-		19.6 m/s^2 Constant, X, Y, Z lh each.						
	Safety (*16)	-	Approved h	Less than 196.1 m/s ² Approved by UL62368-1, CSA C22.2 No.62368-1, EN62368-1, UL60950-1, CSA C22.2 No.60950-1 & EN60950-1.			EN60950-1.			
36	(10)		Approved by UL62368-1, CSA C22.2 No.62368-1, EN62368-1, UL60950-1, CSA C22.2 No.60950-1 & EN60950-1. (Expire date of 60950-1 : 20/12/2020). Designed to meet DENAN							
37	EMI	-			-			C-ClassB, VC		
38	Immunity (*17)	-		2 0012		meet EN6100	,	,		
39	Weight (Typ)	-			0	95		, -, -,		
40	Size (WxHxD)	mm			108 x 3	8 x 250 (Refe	8	() () () ()		
10	Since (min			100 A 5	. 230 (1000	Outine D			

*Read instruction manual carefully, before using the power supply unit. =NOTES=

*1. For V2, V3,V4 stability, require minimum output current of V1.

*2. Allowable output power is changed according to V4 voltage refer to derating table (A191-01-05/L-_).

- *3. Operating period at peak current is less than 10sec. (Duty<0.35)
- *4. At 100/200VAC, Ta=25°C and total allowable output power.
- *5. For cases where conformance to various safety specs (UL, CSA, EN) are required, *14. For using, refer to note (A191-01-07_). to be described as 100 - 240VAC(50/60Hz).
- *6. Not applicable for the inrush current to Noise Filter for less than 0.2ms.
- *7. Refer to output measuring (A191-01-07_) for line & load regulation and ripple voltage.
- *8. 85 265VAC, constant load.
- *9. Minimum load Full load, constant input voltage.

- *10. Constant current limit with automatic recovery. Refer to test data (A191-53-01_). Not operate at over load or dead short condition for more than 30 seconds.
- *11. OVP circuit will shut down all outputs, manual reset (Line recycle).
- *12. At 100/200VAC, nominal output voltage and total allowable output power.
- *13. Measured by the each method of UL, CSA, EN and DENAN (at 60Hz), Ta= 25° C.
- *15. At standard mounting.
 - Load (%) is percent of total allowable output power or
 - each maximum output current, whichever is greater.
 - For other mountings, refer to derating curve (A191-01-05/L-).
- *16. As for DENAN, designed to meet at 100VAC.
- *17. Refer to test data(A191-58-01_).

<u>ZWQ130/L</u>

SPECIFICATIONS (FORCED AIR COOLING)

A191-01-02/L-D

	MODEL				ZWQ13	0-5223/L			ZWQ13	0-5225/L	
	ITEMS	_		V1	V2	V3	V4	V1	V2	V3	V4
1	Nominal Output Voltage		V	+5	+12	-12	+3.3	+5	+12	-12	+5
2	Minimum Output Current	(*1)	Α	2.1	0	0	0	2.1	0	0	0
3	Maximum Output Current		Α	19.0	5.0	5.0	12.0	19.0	5.0	5.0	12.0
4	Total Allowable Output Power	(*2)	W		14	9.6			17	70	
5	Input Current (100/200VAC) (Typ)	(*3)	Α				2.6	/1.3			
6	Operating Temperature	(*4)	-	$-10 \sim +70^{\circ}$ C ($-10 \sim +50^{\circ}$ C : 100% , $+70^{\circ}$ C : 50%)							
7	Cooling	(*5)	-		Forced Air Cooling						

*Read instruction manual carefully, before using the power supply ι

=NOTES=

*For other items, refer to convection cooling specifications (A191-01-01/L-_).

*1. For V2, V3,V4 stability, require minimum output current of V1.

When it is using under condition of forced air cooling, V1 minimum output current is same as convection cooling.

*2. Allowable output power is changed according to V4 voltage, refer to derating table (A191-01-06/L-_).

*3. At 100/200VAC, Ta=25°C total allowable output power.

*4. At standard mounting.

- Load (%) is percent of total allowable output power or each maximum output current, whichever is greater.

For other mountings, refer to derating curve (A191-01-06/L-_).

*5. Air flow $\ge 0.85 \text{m}^3/\text{min}(30 \text{cfm})$

SPECIFICATIONS (CONVECTION COOLING)

A191-01-03/L-D

	A191-01-03/L-D									
	MODEL			-	0-5222/L			ZWQ130		
	ITEMS		V1	V2	V3	V4	V1	V2	V3	V4
1	Nominal Output Voltage	V	+5	+12	-12	+12	+5	+12	-12	+24
2	Minimum Output Current (Convection) (*1)	А	1.5	0	0	0	1.5	0	0	0
3	Minimum Output Current (Peak Applica (*1)	А	2.1	0	0	0	2.1	0	0	0
4	Maximum Output Current	Α	15.0	4.0	4.0	4.0	15.0	4.0	4.0	2.0
5	Total Allowable Output Power	W			1	13	30			n
6	Maximum Peak Output Current (*2)	Α	19.0	5.0	5.0	5.0	19.0	5.0	5.0	2.5
7	Total Allowable Peak Output Power	W		170						
8	Efficiency (Typ) (*3)	%					2			
9	Input Voltage Range (*4)	-			85 - 265	VAC (47 - 63		370VDC		
10	Input Current (100/200VAC) (Typ) (*3)	Α				2.0				
11	Inrush Current (Typ) (*5)	-		1				5°C, Cold Star	t.	
12	PFHC	-			De	esigned to mee		3-2		
13	Power Factor (100/200VAC) (Typ) (*3)	-			1		/ 0.93			
14	Output Voltage Range	-	5.0-5.25	+12/+15	-12/-15	11.4-12.6	5.0-5.25	+12/+15	-12/-15	22.8-25.2
15	Output Voltage Accuracy	-	-	$\pm 5\%$	$\pm 5\%$	-	-	$\pm 5\%$	$\pm 5\%$	-
16	Maximum Ripple & Noise (*6) $\frac{0^{\circ}C \leq Ta \leq +60^{\circ}C}{-10^{\circ}C < Ta < 0^{\circ}C}$	mV	120	150	150	150	120	150	150	200
10	100_14 00	mV	160	180	180	180	160	180	180	200
17	Maximum Line Regulation (*6,7)		20	48	48	48	20	48	48	96
18	Maximum Load Regulation (*6,8)	mV	100	300	300	300	100	300	300	400
19	Temperature Coefficient	-		Less than 0.02% / °C						
20	Over Current Protection (*9)			More than 173W of Total Output Power						
21	Over Voltage Protection (*10)	V	5.7 - 7.0				27.6 - 32.4			
22	Hold-Up Time (Typ) (*11)	-		20 ms						
23	Leakage Current (*12)	-		0.75m	A MAX,0.2m	A(Typ) at 10	0VAC / 0.441	nA(Typ) at 23	0VAC	
24	Remote ON/OFF Control (*13)					Poss	sible			
25	Parallel Operation	-					-			
26	Series Operation	-					-			
27	Operating Temperature (*14)	-			-10 - +60°	C (-10 - +40°	C :100%, +6	50°C :50%)		
28	Operating Humidity	-				30 - 90%RH (1)		
29	Storage Temperature	-				-30				
30	Storage Humidity	-				10 - 95%RH ()		
31	Cooling	-				Convectio	6			
32	Withstand Voltage			In		. ,.		:3kVAC (20m	A)	
52	······································			Output - FG:500VAC(100mA), for 1min.						
33	Isolation Resistance	-		More than 100MΩ at 25°C and 70%RH Output - FG:500VDC						
34	Vibration	-		At no operating, 10-55Hz (Sweep for 1min) 19.6 m/s^2 Constant, X, Y, Z 1h each.						
35	Shock (In package)	-		$\frac{19.6 \text{ m/s}}{\text{Less than 196.1 m/s}^2}$						
26		-	Approved b	Approved by UL62368-1, CSA C22.2 No.62368-1, EN62368-1, UL60950-1, CSA C22.2 No.60950-1 & EN60950-1.			EN60950-1.			
36	Safety (*15)		(Expire date of 60950-1: 20/12/2020). Designed to meet DENAN							
37	EMI	-	Designed to meet EN55011/EN55032-B, FCC-ClassB, VCCI-B							
38	Immunity (*16)	-			0	meet EN6100	,			
39	Weight (Typ)	-			6		0g	, ., ., .,		
40	Size (WxHxD)	mm			108 x 3	8 x 250 (Refe	-	Drawing)		
-	of instruction manual correctully before using the ne				100 A 5	5 250 (itele	outine I	, in (1115)		

*Read instruction manual carefully, before using the power supply unit. =NOTES=

- *1. For V2, V3,V4 stability, require minimum output current of V1.
- *2. Operating period at peak current is less than 10sec. (Duty<u><</u>0.35)
- *3. At 100/200VAC, Ta=25°C and total allowable output power.
- *4. For cases where conformance to various safety specs (UL, CSA, EN) are required, to be described as 100 - 240VAC(50/60Hz).
- *5. Not applicable for the inrush current to Noise Filter for less than 0.2ms.
- *6. Refer to output measuring (A191-01-07_) for line & load regulation and ripple voltage.
- *7. 85 265VAC , constant load.
- *8. Minimum load Full load, constant input voltage.

- *9. Constant current limit with automatic recovery. Refer to test data (A191-53-01_) Not operate at over load or dead short condition for more than 30 seconds.
- *10. OVP circuit will shut down all outputs, manual reset (Line recycle).
- *11. At 100/200VAC, nominal output voltage and total allowable output power.
- *12. Measured by the each method of UL, CSA, EN and DENAN (at 60Hz), Ta=25°C
- *13. For using, refer to note (A191-01-07_).
- *14. At standard mounting.
 - Load (%) is percent of total allowable output power or
 - each maximum output current, whichever is greater.
 - For other mountings, refer to derating curve (A191-01-05/L-_).
- *15. As for DENAN, designed to meet at 100VAC.
- *16. Refer to test data(A191-58-01_).

<u>ZWQ130/L</u>

SPECIFICATIONS (FORCED AIR COOLING)

A191-01-04/L-C

	MODEL				ZWQ13	0-5222/L			ZWQ130)-5224/L	
	ITEMS			V1	V2	V3	V4	V1	V2	V3	V4
1	Nominal Output Voltage		V	+5	+12	-12	+12	+5	+12	-12	+24
2	Minimum Output Current	(*1)	А	2.1	0	0	0	2.1	0	0	0
3	Maximum Output Current		А	19.0	5.0	5.0	5.0	19.0	5.0	5.0	2.5
4	Total Allowable Output Power		W				17	70			
5	Input Current (100/200VAC) (Typ)	(*2)	А				2.6	/1.3			
6	Operating Temperature	(*3)	-	$-10 \sim +70^{\circ}$ C ($-10 \sim +50^{\circ}$ C : 100%, $+70^{\circ}$ C : 50%)							
7	Cooling	(*4)	-		Forced Air Cooling						

*Read instruction manual carefully, before using the power supply unit.

=NOTES=

*For other items, refer to convection cooling specifications (A191-01-01/L-_).

*1. For V2, V3,V4 stability, require minimum output current of V1.

When it is using under condition of forced air cooling, V1 minimum output current is same as convection cooling.

*2. At 100/200VAC, Ta=25°C total allowable output power.

*3. At standard mounting.

- Load (%) is percent of total allowable output power or each maximum output current, whichever is greater.

For other mountings, refer to derating curve (A191-01-06/L-_).

*4. Air flow $\geq 0.85 \text{m}^3/\text{min}(30 \text{cfm})$

<u>ZWQ130/L</u>

OUTPUT DERATING (CONVECTION COOLING)

A191-01-05/L

		LOAD (%)	
Ta(°C)	MOUNTING A	MOUNTING B,C,D	MOUNTING E
-10 ~+25	100	100	100
30	100	100	87
35	100	87	75
40	100	75	62
45	87	62	50
50	75	50	
55	62		
60	50		

Allowable output power

5225/	L	
А	В	С
5V	170W	130W
3V	146W	130W
2V	134W	130W


5223/L						
А	В	С				
3.3V	149.6W	130W				
3V	146W	130W				
2V	134W	130W				

A : V4 setting voltage

B : Total Allowable Peak Output Power

C : Total Allowable Output Power

* The period of peak current at Convection Cooling is limited less than 10sec. (Duty ≤ 0.35) For peak current application, refer to note (A191-01-07_).



* Load (%) is percent of total allowable output power or each maximum output current, whichever is greater.

MOUNTING A (STANDARD MOUN	MOUNTING B TING)	MOUNTING C	MOUNTING D	MOUNTING E	PROHIBIT

TDK-Lambda

<u>ZWQ130/L</u>

OUTPUT DERATING (FORCED AIR COOLING)

A191-01-06/L

	LOAD (%)
Ta(°C)	MOUNTING A,B,C,D,E
-10 ~+40 45	100
45	100
50	100
55	87
60	75
65	62
70	50

Allowable output power


5225/1	L
А	В
5V	170W
3V	146W
2V	134W

5223/L						
Α	В					
3.3V	149.6W					
3V	146W					
2V	134W					

A: V4 setting voltage

B : Total Allowable Output Power

* Air flow $\geq 0.85 \text{m}^3/\text{min}(30 \text{cfm})$ Air must flow through component side.



* Load (%) is percent of total allowable output power or each maximum output current, whichever is greater.

